

# Adding a simple page

This article illustrates how to create a simple page in sipXconfig, for both user and admin portal.

## Notes

Throughout this article I will consider the '/main/sipXconfig' the root directory.

## Intro

We use test-driven development (TDD) in order to create / modify a page or fix a issue.

TDD is an iterative software development process where you first write the test with the idea that it must fail. See [http://en.wikipedia.org/wiki/Test-driven\\_development](http://en.wikipedia.org/wiki/Test-driven_development) for more information.

For that we use JUnit, JWebUnit, HtmlUnit, DbUnit, etc.

Use 'ant' tool to run these tests (from 'sipXconfig' directory):

```
ant test-all -Dtest.name=MyTest
```

## I Admin portal

### 1. Add a new menu (MyMenu) and a new entry (MyPage) to the new page

#### a. Add a test for the new menu and the new page

Under '/sipXconfig/web/test' directory, create a new package org.sipfoundry.sipxconfig.site.admin.mypackage and a new test class in this package (MyPageTestUi.java):

```
package org.sipfoundry.sipxconfig.site.admin.mypackage;

public class MyPageTestUi extends WebTestCase {
    public static Test suite() throws Exception {
        return SiteTestHelper.webTestSuite(MyPageTestUi.class);
    }

    @Override
    protected void setUp() throws Exception {
        getTestContext().setBaseUrl(SiteTestHelper.getBaseUrl());
        SiteTestHelper.home(getTester());
        clickLink("toggleNavigation");
        clickLink("menu.myPage");
    }

    public void testDisplay() {
        SiteTestHelper.assertNoException(getTester());
        SiteTestHelper.assertNoUserError(getTester());
    }
}
```

Run this test:

```
ant test-all -Dtest.name=MyPage
```

This test will fail with the following errors:

```
[~Iceausescu@itcnetworks.ro:junit] Test org.sipfoundry.sipxconfig.site.admin.mypackage.MyPageTestUi FAILED
```

```
.....
[~Iceausescu@itcnetworks.ro:concat] testcase: MyPageTestUi
[~Iceausescu@itcnetworks.ro:concat] junit.framework.AssertionFailedErrorjunit.framework.AssertionFailedError: Unable to find link with id
[~Iceausescu@itcnetworks.ro:menu.myPage]
```

## b. Create the menu entry and the page


In sipXconfig/web/context/WEB-INF/common/AdminNavigation.html file, add the next piece of code:

```
<li>
  <div class="roundedMainSectionBoxTopLeft"></div><div class="roundedMainSectionBoxTopRight"></div>
  <div class="roundedMainSectionBoxInside">
    <a class="heading"><span key="menu.section.myMenu">My Menu</span></a>
    <ul>
      <li><a jwcid="@PageLink" id="menu.myPage" page="admin/mypackage/MyPage"><span key="menu.myPage"
>My Page</span></a></li>
    </ul>
  </div>
</li>
```

and in sipXconfig/web/context/WEB-INF/common/AdminNavigation.properties, add the following two lines:

```
menu.section.myMenu=My Menu
menu.myPage=My Page
```

Now you can see these changes in the picture below:



Under 'sipXconfig/web/context/WEB-INF/admin/', create 'mypackage' directory and three files in this directory, as follows:

MyPage.page

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE page-specification PUBLIC "-//Apache Software Foundation//Tapestry Specification 4.0//EN"
"http://jakarta.apache.org/tapestry/dtd/Tapestry_4_0.dtd">
<page-specification class="org.sipfoundry.sipxconfig.site.admin.mypackage.MyPage">
  <description>My page</description>
</page-specification>
```

MyPage.html

```
<div jwcid="@common/Border" useDojo="true" borderTitle="ognl:borderTitle">
  <span jwcid="@common/QuickHelp" value="message:quick.help" />
  <form jwcid="myPageForm@Form" id="myPageForm">
    </form>
  </div>
```

#### MyPage.properties

```
title=My title page
quick.help=TBD<br/>\
    Insert quick help here
```

Create also /sipXconfig/web/src/org/sipfoundry/sipxconfig/site/user\_portal/MyUserPage.java class

```
package org.sipfoundry.sipxconfig.site.user_portal;

public abstract class MyUserPage extends UserBasePage {

    @Override
    public void pageBeginRender(PageEvent event) {
        super.pageBeginRender(event);
    }
}
```

Now MyPageTestUi test will pass and changes can be seen below:



## 2. Add tabs for this page

### a. Modify the unit test

MyPageTestUi.java

```
public void testDisplay() {
    SiteTestHelper.assertNoException(tester);
    SiteTestHelper.assertNoUserError(tester);
    assertLinkPresent("link:first");
    assertLinkPresent("link:second");
}
```

If we run this test again, it will fail:

```
[~Iceausescu@itcnetworks.ro:junit] Test org.sipfoundry.sipxconfig.site.admin.mypackage.MyPageTestUi FAILED
```

.....

```
[~Iceausescu@itcnetworks.ro:concat] testcase: MyPageTestUi
```

```
[~Iceausescu@itcnetworks.ro:concat] junit.framework.AssertionFailedError:junit.framework.AssertionFailedError: Unable to find link with id [link:first]
```

## b. Add the tabs

We will modify previously created files as follows:

MyPage.html

```
<div jwcid="@common/Border" useDojo="true" borderTitle="ognl:borderTitle">
  <span jwcid="@common/TabNavigation" tabNames="{ 'first', 'second' }" selectedTab="ognl:tab"/>
  <div id="settings-content">
    <span jwcid="@common/ErrorMsg" />
    <span jwcid="@RenderBlock" block="ognl:components.get(tab + 'Tab')"/>
  </div>
  <div jwcid="firstTab@Block">
    <span jwcid="@common/QuickHelp" value="message:quick.help.firstTab" />
    <form jwcid="firstForm@Form" id="firstForm">
      MY FIRST TAB
    </form>
  </div>
  <div jwcid="secondTab@Block">
    <span jwcid="@common/QuickHelp" value="message:quick.help.secondTab" />
    <form jwcid="secondForm@Form" id="secondForm">
      MY SECOND TAB
    </form>
  </div>
</div>
```

MyPage.properties

```
title=My title page
tab.first=First tab
tab.second=Second tab
quick.help.firstTab=TBD 1
quick.help.secondTab=TBD 2
```

MyPage.java

```

package org.sipfoundry.sipxconfig.site.admin.mypackage;

public abstract class MyPage extends SipxBasePage {


    @Bean
    public abstract SipxValidationDelegate getValidator();

    @Persist
    @InitialValue("literal:first")
    public abstract String getTab();

    public void pageBeginRender(PageEvent event) {
        if (!TapestryUtils.isValid(this)) {
            return;
        }
    }
}

```

Now MyPageTestUi test will pass and changes can be seen below:



## II User portal

Adding a page in User portal is similar to adding a page in the Admin portal

### 1. Add a new entry to the new page (MyUserPage)

Under '/sipXconfig/web/test/org/sipfoundry/sipxconfig/site/user\_portal' package create a new test class (MyUserPageTestUi.java):

```

public class MyUserPageTestUi extends WebTestCase {
    public static Test suite() throws Exception {
        return SiteTestHelper.webTestSuite(MyUserPageTestUi.class);
    }

    @Override
    public void setUp() {
        getTestContext().setBaseUrl(SiteTestHelper.getBaseUrl());
        SiteTestHelper.home(getTester());
        clickLink("seedTestUser");
        clickLink("loginFirstTestUser");
        clickLink("toggleNavigation");
        clickLink("menu.myUserPage");
    }

    public void testDisplay() {
        SiteTestHelper.assertNoException(tester);
        SiteTestHelper.assertNoUserError(tester);
    }
}

```

Run the test - ant test-all -Dtest.name=MyUserPage  
This test will fail:

**JUnit** Test org.sipxfoundry.sipxconfig.site.user\_portal.MyUserPageTestUi FAILED

.....  
**concat** testcase: MyUserPageTestUi

**concat** junit.framework.AssertionFailedError:junit.framework.AssertionFailedError: Unable to find link with id **menu.myUserPage**

In /sipXconfig/web/context/WEB-INF/user\_portal/UserPortalNavigation.html file, add the next piece of code:

```

<li>
    <div class="roundedMainSectionBoxTopLeft"></div><div class="roundedMainSectionBoxTopRight"></div>
    <div class="roundedMainSectionBoxInside">
        <a class="heading" jwcid="@PageLink" id="menu.myUserPage" page="user_portal/MyUserPage">
            <span key="menu.myUserPage">My User Page</span>
        </a>
    </div>
</li>

```


and in '/sipXconfig/web/context/WEB-INF/user\_portal/UserPortalNavigation.properties' file, add

```

menu.section.myMenu=My Menu
menu.myPage=My Page

```

Now you can see these changes in the picture below:



In '/sipXconfig/web/context/WEB-INF/user\_portal/' create three files:

MyUserPage.page

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE page-specification PUBLIC "-//Apache Software Foundation//Tapestry Specification 4.0//EN"
"http://jakarta.apache.org/tapestry/dtd/Tapestry_4_0.dtd">
<page-specification class="org.sipfoundry.sipxconfig.site.user_portal.MyUserPage" />
```

MyUserPage.html

```
<div jwcid="@common/Border" restricted="false" borderTitle="ognl:borderTitle">
  <span jwcid="@user/UserNavigation" bean="ognl:user" renderCondition="ognl:userSession.admin" />
  <span jwcid="@common/ErrorMsg" />
  <span jwcid="@common/QuickHelp" value="message:quick.help" />
  <form jwcid="myUserPageForm@Form" id="myUserPageForm">
    <span key="label.user">User:</span>&nbsp;
    <span jwcid="@Insert" value="ognl:user.userName" />
  </form>
</div>
```

MyUserPage.properties

```
title=My title user page
quick.help=Insert quick help here
label.user=User
```


Create also MyUserPage.java class, under /sipXconfig/web/src/org/sipfoundry/sipxconfig/site/user\_portal/ package.

```
public abstract class MyUserPage extends UserBasePage {

    @Override
    public void pageBeginRender(PageEvent event) {
        super.pageBeginRender(event);
    }
}
```

Note that all pages from user portal must extend UserBasePage class.

Now MyUserPageTestUi test will pass and changes can be seen below:



## 2. Add tabs for this page

Modify MyUserPageTestUi.java test class:

```
public void testDisplay() {
    SiteTestHelper.assertNoException(tester);
    SiteTestHelper.assertNoUserError(tester);
    assertLinkPresent("link:first");
    assertLinkPresent("link:second");
}
```

Re-run test: ant test-all -Dtest.name=MyUserPage

[junit](#) Test org.sipfoundry.sipxconfig.site.user\_portal.MyUserPageTestUi FAILED

[concat](#) testcase: MyUserPageTestUi

[concat](#) junit.framework.AssertionFailedErrorjunit.framework.AssertionFailedError: Unable to find link with id first

We will modify previously created files as follows:

MyUserPage.html



```

<div jwcid="@common/Border" restricted="false" borderTitle="ognl:borderTitle">
  <span jwcid="@common/TabNavigation" tabNames="ognl:{'first', 'second'}" selectedTab="ognl:tab"/>
  <span jwcid="@common/ErrorMsg"/>
  <div id="settings-content">
    <span jwcid="@RenderBlock" block="ognl:components.get(tab + 'Tab')" />
  </div>
</div>
<div jwcid="firstTab@Block">
  <span jwcid="@common/QuickHelp" value="message:quick.help.firstTab" />
  <form jwcid="firstForm@Form" id="firstForm">
    <span key="label.user">User:</span>&nbsp;
    <span jwcid="@Insert" value="ognl:user.userName"/>
  </form>
</div>
<div jwcid="secondTab@Block">
  <span jwcid="@common/QuickHelp" value="message:quick.help.secondTab" />
  <form jwcid="secondForm@Form" id="secondForm">
    <span key="label.user">User:</span>&nbsp;
    <span jwcid="@Insert" value="ognl:user.userName"/>
  </form>
</div>

```

#### MyUserPage.properties

```

title=My title user page
label.user=User
tab.first=First tab
tab.second=Second tab
quick.help.firstTab=TBD 1
quick.help.secondTab=TBD 2

```

#### MyUserPage.java

```

package org.sipfoundry.sipxconfig.site.admin.mypackage;

public abstract class MyPage extends SipxBASEPage {

    @Bean
    public abstract SipxValidationDelegate getValidator();

    @Persist
    @InitialValue("literal:first")
    public abstract String getTab();

    public void pageBeginRender(PageEvent event) {
        if (!TapestryUtils.isValid(this)) {
            return;
        }
    }
}

```

Now MyUserPageTestUi test will pass and changes can be seen below:

The screenshot displays a web application interface. At the top, there is a navigation bar with several menu items: Voicemail, My Information, Call Forwarding, Speed Dial, Call History, Phonebook, Phones, and My User Page. The 'My User Page' item is highlighted. Below the navigation bar, the page title is 'My title user page'. The main content area is divided into a tabbed interface on the left and a large content area on the right. The tabs are 'First tab' (selected) and 'Second tab'. The 'First tab' content area displays 'User 200'. The right side of the content area displays 'TBD 1'.